

RICOH

imagine. change.

The world goes wireless.
Why not your printer?

Proud to be a
Kanjoos Much-in-use!

Presenting Ricoh SP 210 - the kanjoos printer now saves time too, besides just money.



- Speed: 22 ppm
- Memory: 128 MB
- Resolution: 1200 x 600 dpi
- Duplex: Manual
- Network: Yes
- Wi-Fi: Yes
- Language: PCL6
- Colour TWAIN Scanner
- ADF: 35 Sheet



Genuine Refill PROGRAM

Only on SP 100 / SP 111 & SP 200 series

SP 212SNw
MRP. ₹16,905/-



SP 210



SP 212Nw



SP 210SU



SP 210SF



SP 212SFNw



Refill Method.
*Suggested 2 Refills per Cartridge

Dial-a-Cartridge
18001030066 / 1800116600



SMS: "RICOH" to 57272
Website: www.ricoh.co.in
Email: LP@ricoh.co.in

Service Toll Free No.: 18001030066/1800116600



		SP 210	SP 212Nw	SP 210SU	SP 212SNw	SP 210SF	SP 212SFNw
Function		Print		Print Scan Copy		Print Scan Copy Fax	
Printing Speed	A4/LT	22 ppm/23 ppm					
Paper Size		A4/Legal					
Processor Speed		360 MHZ					
Operating System		Windows, Linux					
Printing Resolution		1200x600dpi					
Duplex Printing		Manual					
Input capacity (A4/LT)	Std Tray	150 sheets					
	Bypass tray	1 sheet					
Rating Power Spec.		220 - 240V					
RAM		128 MB					
High Yield Toner		2,600 pages					
Low Yield Toner		1,500 pages					
Maximum Print Volume (Duty)		20,000 pages/month					
ADF		NA			35 Sheets		
PDL		GDI	PCL 6	GDI	PCL 6	GDI	PCL 6
Fonts		NA	PCL 80	NA	PCL 80	NA	PCL 80
Interface		High-Speed USB2.0	High-Speed USB2.0, Ethernet 10/100BASE-TX, IEEE 802.11 b/g/n	High-Speed USB2.0	High-Speed USB2.0, Ethernet 10/100BASE-TX, IEEE 802.11 b/g/N	High-Speed USB2.0,	High-Speed USB2.0, Ethernet 10/100BASE-TX, IEEE 802.11 b/g/n
Dimensions (WxDxH)		402 x 360 x 165 mm		402 x 360 x 252 mm	402 x 360 x 293 mm		
Weight	AIO incl.	7.2 kg		9.9kg	11.1kg		
Copier Features							
Copy speed				Up to 22 cpm			
Multiple copy				Yes (up to 99)			
Resolution				600 x 600 dpi			
Reduction / Enlargement				25% - 400% (1 Step)			
Combine Copy				NA	Yes	Yes	Yes
ID Card copy				Yes	Yes	Yes	Yes
Scanner Features							
Color/Mono				Color			
Resolution (Optical)				600 x 600 dpi			
TWAIN Compliant				TWAIN, WIA			
Scan to USB				Yes			
Scan to Folder				NA	Yes	NA	Yes
Scan to E-mail				NA	Yes	NA	Yes
Fax Features							
Modem Speed						33.6k-2400bps	
One Touch Dial						8 locations	
Speed Dial/Group Dial						100 locations	
PC FAX						Yes (send/receive)	



Refill Method.
*Suggested 2 Refills per Cartridge



18001030066 / 1800116600



Service Toll Free No: 18001030066 / 1800116600

SMS: "RICOH" to 57272
Website: www.ricoh.co.in
Email: LP@ricoh.co.in

RICOH
imagine. change.



**Our Colours are Rich,
not expensive**

SP C250DN/SP C252DN

Catalogue Specification

SP C250DN / SP C252DN

		SP C250DN	SP C252DN	
Speed	Print Speed	Black / Full Color : 20 / 21ppm (A4 / LT SEF)		
	First Print	Black: 14 sec. or less (A4 / LT SEF) Full Color: 14 sec. or less (A4 LT SEF)		
	Warm-up	30 sec or less (Nominal value)		
CTL Spec	Processor	350MHz		
	Memory	128MB		
	Resolution	Speed Mode: 600x600 dpi 1bit (600x600 dpi) Standard Mode: 600x600 dpi 2 bit (1200 x 600 dpi equivalent) Fine Mode: 600x600 dpi 4 bit (2400 x 600dpi equivalent)		
	Interface	USB2.0, 100Base-TX / 10Base-T, IEEE802.11b/g/n		
	Language	PCL6/5c, PostScript3, PictBridge		
	Font	PCL: 80 fonts		
	Operating Systems	Win XP/Vista/7/8, Server2003/2008/2012 (32bit/64bit) and later, Mac OS 10.64-10.8 and later		
	Network Protocols	TCP/IP, IPP, Bonjour		
Machine	Dimensions (WxDxH)	400 x 450 x 320 mm		
	Weight	Under 23.8kg		
Paper	Input Paper Capacity (80g/, 20lb.Bond)	Std Tray	250 sheets	
		Bypass	1 sheet	
		Option	500 sheets	
		Max	751 sheets	
	Paper Size	Std Tray / Bypass	A4, B5, A5, B6, A6, Legal, Letter, HLT, Executive, F, Foolscap, Folio, 16K, Com10, Monarch, C5 Env, C6 Env, DL Env, Custom size: Min. 90mm x 148mm (3.54"x5.83"), Max. 216mm x 356mm (8.50" x 14.0")	
		Option	A4, Letter	
	Paper Handling	Std / Bypass	60-160g/m ²	
		Optional Tray	60-105g/m ²	
		Duplex	60-90g/m ²	
	Paper Type (*4)	Std Tray	Plain paper, Recycled paper, Middle thick paper, Thick paper 1/2, Thin paper, Color paper, Letterhead, Preprinted, Prepunched Paper, Labels, Bond, Cardstock, Envelope	
		Optional Tray	Plain paper, Recycled paper, Middle thick paper, Thin paper, Thick paper 1, Color paper, Letterhead, Preprinted, Prepunched Paper	
		Bypass	Plain paper, Recycled paper, Middle thick paper, Thick paper 1/2, Thin paper, Color paper, Letterhead, Prepunched Paper, Labels, Bond, Cardstock, Envelope	
	Output Paper Capacity (80g/m ² 20lb. Bond)		Upto 150 sheets	
Power	Power Requirement	220-240V		
Durability	Duty Cycle	30K	65K	

RICOH
imagine. change.