



LG

Life's Good

SPECTRUM OF SPECTACULAR DISPLAYS



IT Monitor Range

4K UHD MONITORS



31MU97

Screen Size	31 inch
Panel Type	IPS
Resolution	4096 X 2160
Aspect Ratio	17:9
Brightness	320 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 2, Display Port x 1, Mini Display Port x 1, USB-3.0 X 4
Inbuilt Speaker	5WX2
Other Features	10 Bit Color Depth, Adobe RGB over 99.5%, DCI-P3 97%, H/W Color Calibration, Height Adjust/Pivot/Tilt Detachable Base, Digital Cinema 4k Resolution



Pivot 90°



27UD88

Screen Size	27 inch
Panel Type	IPS
Resolution	3840 x 2160
Aspect Ratio	16:9
Brightness	350 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 2, Display Port x 1, USB-C x 1
Inbuilt Speaker	No
Other Features	HW Calibration, sRGB 99%, WallMount. Height Adjust/Pivot/Tilt Stand



USB Type-C™



Dual Linkup



Dual Controller



27UD68

Screen Size	27 inch
Panel Type	IPS
Resolution	3840 x 2160
Aspect Ratio	16:9
Brightness	300 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 2, Display Port x 1
Inbuilt Speaker	No
Other Features	Wall Mount, sRGB 99%, Pivot 90°/Height Adjust/Tilt



Dual Linkup



Display Port



Screen Split



AMD
FREESYNC
TECHNOLOGY



Dual Controller



24UD58

Screen Size	24 inch
Panel Type	IPS
Resolution	3840 x 2160
Aspect Ratio	16:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 2, Display Port x 1
Inbuilt Speaker	No
Other Features	Game Mode Presets, Black Stabilizer, DAS Mode, CFE (1931) 72%, Wall Mount



Black Stabilizer



Dynamic Action Sync



Mega Contrast Ratio




Super+ Resolution

UltraWide™ MONITORS



34UC98

Screen Size	34 inch
Panel Type	IPS
Resolution	3440 x 1440
Aspect Ratio	21:9
Brightness	300 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI X 2, Thunderbolt x 2, Display Port x 1
Inbuilt Speaker	7W x 2
Other Features	sRGB 99%, WallMount, Height Adjust/Tilt Stand



29UB67

Screen Size	29 inch
Panel Type	IPS
Resolution	2560 x 1080
Aspect Ratio	21:9
Brightness	300 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 2, Display Port x 1, DVI-D x 1
Inbuilt Speaker	5W x 2
Other Features	Dual Link-up, Dual Controller, Wall Mount, sRGB over 99%, Color Calibrated, Height/Pivot/Tilt Adjustable Stand



25UM58

Screen Size	25 inch
Panel Type	IPS
Resolution	2560 x 1080
Aspect Ratio	21:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI X 2
Inbuilt Speaker	No
Other Features	sRGB over 99%, PIP/PBP



SURVEILLANCE MONITOR



32MN58H

Screen Size	32 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250 cd/m ²
Contrast Ratio	5M:1 (DFC)
Refresh Rate	60Hz
Response Time	8ms
Ports	HDMI X 2, D-Sub x 1, USB x 1
Inbuilt Speaker	No
Other Features	Wall Mount, Divix HD Players, Smart Energy Saving, Motion Eye Care, USB Autorun Built-In Game



GAMING MONITORS



34UC79G

Screen Size	34 inch
Panel Type	IPS
Resolution	2560 x 1080
Aspect Ratio	21:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	144Hz
Response Time	1ms MBR
Ports	HDMI x 2, Display Port x 1, USB 3.0 Quick Charge x 1
Inbuilt Speaker	7W x 2
Other Features	Sync Technology, Height Adjust/Tilt Stand, Dual Controller

144Hz



29UM69G

Screen Size	29 inch
Panel Type	IPS
Resolution	2560 x 1080
Aspect Ratio	21:9
Brightness	250cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	75Hz
Response Time	5ms
Ports	HDMI x 1, Display Port x 1
Inbuilt Speaker	5W x 2
Other Features	Black Stabilizer & DAS Mode, Free Sync



24/27MP59G

Screen Size	24/27 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	75Hz
Response Time	1ms MBR
Ports	HDMI x 1, Display Port x 1, D-Sub x 1 (in 24 only)
Inbuilt Speaker	No
Other Features	Black Stabilizer & DAS Mode, 1ms Motion Blur Reduction sRGB over 99%



75Hz



24GM79G

Screen Size	24 inch
Panel Type	TN
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	350cd/m ²
Contrast Ratio	1000:1(Original)
Refresh Rate	144Hz
Response Time	1ms MBR
Ports	HDMI x 2, Display Port x 1, USB 3.0 x 3
Inbuilt Speaker	No
Other Features	DAS Mode, 1ms Motion Blur Reduction, Pivot/Height Adjust/Tilt Stand, Wall Mount



144Hz



IPS/LED MONITORS



27MP89HM

Screen Size	27 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 2, D-Sub x 1
Inbuilt Speaker	5W x 2
Other Features	Screen Split, Color Calibrated, Wall Mount, Tilt, Infinity Display, sRGB over 99%



Color Weakness Mode



Black Stabilizer



OnScreen Control



24MP88HV

Screen Size	24 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 2, D-Sub x 1
Inbuilt Speaker	5Wx2
Other Features	Infinity Display, sRGB over 99%, Color Calibrated, Wall Mount, Tilt Screen Split



Sleek Cut Design



OnScreen Control



Color Weakness Mode



22/23/24/27MP68VQ

Screen Size	22/23/24/27 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 1, DVI-D x 1, D-Sub x 1
Inbuilt Speaker	5Wx2 (27 inch)
Other Features	Color Calibrated, Cinema Screen, Free Sync, Wall Mount



Sleek Cut Design



Color Calibrated



Color Weakness Mode



22/24/27MP58VQ

Screen Size	22/24/27 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 1, DVI-D x 1, D-Sub x 1
Inbuilt Speaker	No
Other Features	Sleek Cut Design, OnScreen Control, Screen Split, Flicker Safe, Black Stabilizer PIP/PBP



Sleek Cut Design



OnScreen Control



Color Weakness Mode

IPS/LED MONITORS




20MP48HA / 22/23MP48HQ



Screen Size	20/22/23 inch
Panel Type	IPS
Resolution	1440 x 900 (20MP48HA) / 1920 x 1080 (22/23MP48HQ)
Aspect Ratio	16:10 (20MP48HA) / 16:9 (22/23MP48HQ)
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	HDMI x 1, D-Sub x 1
Inbuilt Speaker	No
Other Features	Sleek Cut Design, Screen Split, Flicker Safe, My Display Presets, Wall Mount



27MP38VQ



Screen Size	27 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	200 cd/m ²
Contrast Ratio	Mega (DFC)
Refresh Rate	75Hz
Response Time	5ms
Ports	HDMI x 1, DVI-D x 1, D-Sub x 1
Inbuilt Speaker	No
Other Features	OnScreen Control, Wall Mount, Screen Split, Flicker Safe, My Display Presets



16M38A/19M38A/19M38H



Screen Size	15.6 / 18.5 inch
Panel Type	TN
Resolution	1366 x 768
Aspect Ratio	16:9
Brightness	200 cd/m ²
Contrast Ratio	600:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	D-Sub x 1, DVI-D x 1, (D Only), HDMI x 1, (H Only)
Inbuilt Speaker	No
Other Features	OnScreen Control, Reader Mode, Screen Split, Flicker Safe, My Display Presets, Color Weakness Mode



22M38D/22M38H/24M38H



Screen Size	22/24 inch
Panel Type	TN
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	200 cd/m ²
Contrast Ratio	600:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	D-Sub x 1, DVI-D x 1, (D Only), HDMI x 1, (H Only)
Inbuilt Speaker	No
Other Features	OnScreen Control, Reader Mode, Screen Split, Flicker Safe, My Display Presets, Color Weakness Mode

MULTIMEDIA MONITORS



20/22/24MN48A

Screen Size	20/22/24 inch
Panel Type	TN (20)/IPS (22)/VA (24)
Resolution	1600 x 900/1920 x 1080/1366 x 768
Aspect Ratio	16:9
Brightness	200 cd/m ² (20)/250cd/m ² (22/24)
Contrast Ratio	600:1 (Original)
Refresh Rate	60 Hz
Response Time	5ms (20)/14ms (22/24)
Ports	HDMI x 1, D-Sub x 1, USB x 1, Composite Out x 1
Inbuilt Speaker	5W x 2
Other Features	Headphone Out - RCA, Headphone In - RCA



20/24MT48A

Screen Size	20/24 inch
Panel Type	VA
Resolution	1600 x 900 / 1366 x 768
Aspect Ratio	16:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	14ms
Ports	HDMI x 1, D-Sub x 1, USB x 1, Composite Out x 1
Inbuilt Speaker	5W x 2
Other Features	Headphone Out - RCA, Headphone In - RCA



MULTI-TASKING WORKSTATION MONITORS



24/27 BK750Y

Screen Size	24/27 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250 cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	DVI-D x 1, HDMI x 1, Display Port x 1, Display Port Out x 1
Inbuilt Speaker	1.2 W x 2
Other Features	Color Calibrated, Pivot 90°, Height Adjustment, Borederless design, Power built-in, TCO7.0, USB 3.0 (1up, 4 down), EPEAT (Gold), ROHS, Daisy Chain Certification : TCO EPEAT (Gold) UL, Fce (13)



24/27 BK550Y

Screen Size	24/27 inch
Panel Type	IPS
Resolution	1920 x 1080
Aspect Ratio	16:9
Brightness	250cd/m ²
Contrast Ratio	1000:1 (Original)
Refresh Rate	60Hz
Response Time	5ms
Ports	D-Sub x 1, DVI-D x 1, HDMI x 1, Display Port x 1
Inbuilt Speaker	1.2 W x 2
Other Features	Color Calibrated, Flicker Safe, Reader Mode, Height Adjustment, Pivot 90°, USB 2.0 (1up, 2 down) Power Built-in, Certification : TCO EPEAT (Gold) UL, Fce (13)



PC ON MONITOR



19CH300A

LG PC-on Monitor is a revolutionary concept which integrates a PC along with all its peripherals. With all the core functions within one super-efficient compact unit, it is the future of new age computing.



Key Sales Point



Full Package with all Core Features



User-friendly



Efficient Space Use



Theft Prevention

Benefits

- Three USB ports connecting mouse, keyboard and external storage devices
- PC-on Monitor can be optimally set-up in places with space constraint and does away with complex wire connections
- Flicker Safe and Reader Mode for that extra comfort of the eyes

SPECIFICATIONS

MONITOR

Specifications		Monitor	Specifications		Monitor	
Display	Size (Inch / cm)	18.5 / 47	Interface	Signal Input	D-sub, HDMI, Headphone out	
	Panel Type	TN	Power	Type	Adapter	
	Color Gamut (CIE1976)	72%		Input	100 ~ 240Vac, 50/60Hz	
	Color Depth (Number of Colors)	16.7M colors	Feature	Function	Picture Mode, Reader Mode, Original Ratio, Color Weakness, Flicker Safe, Smart Energy Saving, OnScreen Control	
	Pixel pitch (mm)	0.3 x 0.3		Stand	Base Detachable / Tilt -5° ~ 20°	
	Aspect Ratio	16:9	Size / Weight	Size (W x D x H, mm)	441.3 x 167.8 x 350.2 (with Stand)	
	Resolution	1366 x 768				441.3 x 81.2 x 278.1 (without Stand)
	Brightness (Typ.)	200cd/m ²			Weight (kg)	543 x 518 x 148 (Box)
	Contrast Ratio (Original) (DFC)	600:1				2.3 (with Stand)
	Response Time (Typ.) on/off_GTG	5ms		Weight (kg)	2.1 (without Stand)	
Viewing Angle (CR ≥ 10)	90/65		Wall Mount	4.9 (Box)		
Surface Treatment	Anti glare, 3H	Accessory		HDMI Cable, Manual, Adapter, Wired Keyboard & Mouse, Y type Cable (for power)		

MINI PC

Specifications		Mini PC
CPU / Memory	Processor	Intel Quad Core Processor, Base/Burst Frequency: 1.44 GHz/1.92 GHz
	Operation System	Windows 10 Home (32bit) / Windows 10 Pro (32bit)
	System Memory	2GB DDR3L
Storage	Graphics	Intel HD Graphics
	Storage	32GB eMMC
Network	Wireless	Yes
	LAN	10/100/1000BASE-T
	Bluetooth	Yes
Interface	Signal Input / Output	HDMI1.4, USB 2.0 x 3, RJ45, DC-in, HP/MIC Combo
Feature	Speaker	No
	Security	Bracket + Screw
Size / Weight	Dimension	107 x 107 x 25 (mm)
	Weight	196 (g)



LG 24 x 7 CUSTOMER CARE
1800-315-9999
1800-180-9999 (Toll Free)
5757554 (Send SMS)
www.lg.com/in/support



LG Service India Mobile App Available at
Apple App Store & Google Play



www.facebook.com/lgindiapage



www.twitter.com/LGIndiaTweets

To know more about LG,
visit www.lg.com/in
For Corporate/Institutional enquiries,
please write to corp.enquiries@lge.com

